

# **ZIC2** Rabbit pAb

货号: **B18260** 

## 产品信息

反应	Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	55kDa
实测分子量	50kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse brain,Rat brain
细胞定位	Cytoplasm,Nucleus
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-220 of human ZIC2 (N P_009060.2).
序列	MLLDAGPQFPAIGVGSFARHHHHSAAAAAAAAAAMQDRELSLAAAQNGFVDSAAAHMGAFKLNPGAHELSPGQSSAFT SQGPGAYPGSAAAAAAAAAALGPHAAHVGSYSGPPFNSTRDFLFRSRGFGDSAPGGGQHGLFGPGAGGLHHAHSDAQG HLLFPGLPEQHGPHGSQNVLNGQMRLGLPGEVFGRSEQYRQVASPRTDPYSAAQLHNQYGPMNMN

靶点信息

研究背景	This gene encodes a member of the ZIC family of C2H2-type zinc finger proteins. This protein functions as a transcriptional repressor and may regulate tissue specific expression of dopamine receptor D1. Expansi on of an alanine repeat in the C-terminus of the encoded protein and other mutations in this gene cause h oloprosencephaly type 5. Holoprosencephaly is the most common structural anomaly of the human brain. A polyhistidine tract polymorphism in this gene may be associated with increased risk of neural tube defects. This gene is closely linked to a gene encoding zinc finger protein of the cerebellum 5, a related family member on chromosome 13.
基因 <b>ID</b>	7546
基因名	ZIC2
Swiss	O95409
别名	ZIC2;HPE5

### 产品验证



Western blot analysis of ZIC2 expressed in Mouse brain,Rat brain using ZIC2 Rabbit pAb at 1:1000. Secon dary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffe r: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

### 实验步骤

访问官网浏览详情: www.ablybio.cn