

NICN1 Rabbit pAb

货号: B18360

产品信息

反应	Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:200 - 1:2000
理论分子量	19kDa/24kDa
实测分子量	18kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse testis,Rat testis
细胞定位	Nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-213 of human NICN1 (NP_115692.1).
序列	MSRVLVPCHVKGSVALQVGDVRTSQGRPGVLVIDVTFPSVAPFELQEITFKNYTAFLSIRVRQYTSAHTPAKWVTCLRDY CLMPDPHSEEGAQEYVSLFKHQMLCDMARISELRILRQPSPLWLSFTVEELQIYQQGPKSPSVTFPKWLSHPVPCEQPALL REGLPDPSRVSSEVQQMWALTEMIRASHTSARIGRFDVDGCYDLNLLSYT

靶点信息

研究背景	This protein encoded by this gene localizes to the nucleus and is expressed in numerous tissues including brain, testis, liver, and kidney. This refseq contains genomic sequence in its 3' UTR which is not supported by experimental evidence. Computer predictions indicate that this region of the 3' UTR contains hairpin-forming self-complementary sequence which is possibly excised after transcription. This gene has a pseudo gene on chromosome X.
------	--

基因ID	84276
基因名	NICN1
Swiss	Q9BSH3
别名	NICN1;nicolin-1

产品验证



Western blot analysis of NICN1 expressed in Mouse testis,Rat testis using NICN1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn