

SPRED1 Rabbit pAb

货号: **B18702**

产品信息

反应	Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	50kDa
实测分子量	50kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal, 50% glycerol, pH7.3.
偶联物	Unconjugated
阳性对照	Mouse brain
细胞定位	Cell membrane, Membrane, Nucleus, Peripheral membrane protein, caveola
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 120-320 of human SPRED1 (NP_689807.1).
序列	IEDISQGCPEKNEAEGADDLQANEEDSSSSLVKDHLFQQETVVTSEPYRSSNIRPSPFEDLNARRVYMQSQANQITFGQ PGLDIQSRSM EYVQRQISKECGSLKSNRVPLKSRHVSFQDEDEIVRINPRDILIRRYADYRHPDMWKNDLERDDADSSI QFSKPDSKSDYLYSCGDETKLSSPKDSVVFKTQPSSLKI

靶点信息

研究背景	The protein encoded by this gene is a member of the Sprouty family of proteins and is phosphorylated by tyrosine kinase in response to several growth factors. The encoded protein can act as a homodimer or as a heterodimer with SPRED2 to regulate activation of the MAP kinase cascade. Defects in this gene are a cause of neurofibromatosis type 1-like syndrome (NFLS).
基因ID	161742

基因名	SPRED1
Swiss	Q7Z699
别名	SPRED1;NFLS;PPP1R147;hSpred1;spred-1

产品验证



Western blot analysis of SPRED1 expressed in Mouse brain using SPRED1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5 % non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn