

PRPS2 Rabbit pAb

货号: B19640

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:1000 - 1:2000
理论分子量	34kDa/35kDa
实测分子量	35kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,MCF7,Mouse brain,Mouse heart,Mouse kidney,Rat liver
细胞定位	cytoplasm,cytosol
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-240 of human PRPS2 (NP_002756.1).
序列	MPNIVLFGSSSHQDLSQRVADRLGLELGKVVTKKFSNQETSVEIGESVRGEDVYIIQSGCGEINDNLMELLIMINACKIASSS RVTAVIPCFPYARQDKKDKSRAPISAKLVANMLSVAGADHIITMDLHASQIQGFFDIPVDNLYAEPAVLQWIRENIAEWKNCI IVSPDAGGAKRVTSIADRLNVEFALIHKERKKANEVDRMVLVGDKDRVAILVDDMADTCGTICHAADKLLSAG

靶点信息

研究背景	This gene encodes a phosphoribosyl pyrophosphate synthetase that plays a central role in the synthesis o f purines and pyrimidines. The encoded protein catalyzes the synthesis of 5-phosphoribosyl 1-pyrophosph ate from ATP and D-ribose 5-phosphate. Alternate splicing results in multiple transcript variants.
基因ID	5634

基因名	PRPS2
Swiss	P11908
别名	PRPS2;PRSII

产品验证



Western blot analysis of PRPS2 expressed in Mouse brain,Rat liver,HeLa using PRPS2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn