

# **PSMB1** Rabbit pAb

货号: **B19866** 

## 产品信息

反应	Human, Mouse, Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IF/ICC: 1:50 - 1:200
理论分子量	26kDa
实测分子量	26KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	MCF7,PC-3,293T
细胞定位	Cytoplasm, Nucleus
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 29-241 of human PSMB 1 (NP_002784.1).
序列	RFSPYVFNGGTILAIAGEDFAIVASDTRLSEGFSIHTRDSPKCYKLTDKTVIGCSGFHGDCLTLTKIIEARLKMYKHSNNKAM TTGAIAAMLSTILYSRRFFPYYVYNIIGGLDEEGKGAVYSFDPVGSYQRDSFKAGGSASAMLQPLLDNQVGFKNMQNVEH VPLSLDRAMRLVKDVFISAAERDVYTGDALRICIVTKEGIREETVSLRKD

靶点信息

研究背景	The proteasome is a multicatalytic proteinase complex with a highly ordered ring-shaped 20S core struct ure. The core structure is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alp ha subunits and 2 rings are composed of 7 beta subunits. Proteasomes are distributed throughout eukary otic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lyso somal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processin g of class I MHC peptides. This gene encodes a member of the proteasome B-type family, also known as the T1B family, that is a 20S core beta subunit. This gene is tightly linked to the TBP (TATA-binding protein) gene in human and in mouse, and is transcribed in the opposite orientation in both species.
基因ID	5689
基因名	PSMB1
Swiss	P20618
别名	PSMB1;HC5;PMSB1;PSC5

## 产品验证



Western blot analysis of PSMB1 expressed in MCF7,PC-3,293T using PSMB1 Rabbit pAb at 1:1000. Sec ondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: www.ablybio.cn