

CSF2RB Rabbit pAb

货号: B20075

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:1000
理论分子量	97kDa
实测分子量	95-120KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,NIH/3T3
细胞定位	Membrane,Single-pass type I membrane protein
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 200-443 of human CSF2 RB (NP_000386.1).
序列	EHLMPSSSTYVARVTRLAPGSRLSGRPSKWSPEVCWDSQPGDEAQPQNLECFDGA AVLSCSWEV RKEVASSVSFGLF YKPSPDAGEEEECSPVLREGLGSLHTRHHCQIPVPDPATHGQYIVSVQPRRAEKHIKSSVNIQMAPP SLNVT KDGD SYSLRW ETMKMRYEHIDHTFEIQYRKDTATWKDSKTETLQNAHSMALPALEPSTRYWARVRVRTSRTGYNGIWSEWSEARSWDTE SVLPMW

靶点信息

研究背景	The protein encoded by this gene is the common beta chain of the high affinity receptor for IL-3, IL-5 and CSF. Defects in this gene have been reported to be associated with protein alveolar proteinosis (PAP).
基因ID	1439

基因名	CSF2RB
Swiss	P32927
别名	CSF2RB;CD131;CDw131;IL3RB;IL5RB;SMDP5

产品验证



Western blot analysis of CSF2RB expressed in HeLa,NIH/3T3 using CSF2RB Rabbit pAb at 1:1000. Second ary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer : 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn