

SCN3B Rabbit pAb

货号: **B20126**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:1000 - 1:2000
理论分子量	24kDa
实测分子量	30kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-87MG,A-549,B cells,Mouse lung,Mouse liver
细胞定位	Membrane,Single-pass type I membrane protein
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 23-160 of human SCN3B (NP_060870.1).
序列	FPVCVEVPSETEAVQGNPMKLRCSCKREEVEATTVVEWFYRPEGGKDFLIYEYRNGHQEVESPFQGRQLQWNGSKDLQDVSITVLNVTLNDSGLYTCNVSREFEFEAHRPFVKTTTRLIPLRVTEEAGEDFTSVVSEI

靶点信息

研究背景	Voltage-gated sodium channels are transmembrane glycoprotein complexes composed of a large alpha subunit and one or more regulatory beta subunits. They are responsible for the generation and propagation of action potentials in neurons and muscle. This gene encodes one member of the sodium channel beta subunit gene family, and influences the inactivation kinetics of the sodium channel. Two alternatively spliced variants, encoding the same protein, have been identified.
基因ID	55800

基因名	SCN3B
Swiss	Q9NY72
别名	SCN3B;ATFB16;BRGDA7;HSA243396;SCNB3

产品验证



Western blot analysis of SCN3B expressed in Mouse lung,U-87MG,A-549 using SCN3B Rabbit pAb at 1:1 000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn