

RTN4RL1 Rabbit pAb

货号: B20246

产品信息

反应	Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:1000 - 1:4000
理论分子量	49kDa
实测分子量	49kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse brain,Rat brain
细胞定位	Cell membrane,GPI-anchor,Lipid-anchor
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 220-420 of human RTN4 RL1 (NP_848663.1).
序列	LRRLTTLFLFNNSLSELQGECLAPLGALEFLRLNGNPWDCGCRARSLWEWLQFRFGSSSAVPCVSPGLRHGQDLKLLRAE DFRNTGPAHQIKSHTLTITDRAARKEHHSPHGPTRSKGHPGPRPGHRKPGKNCTNPRNRNQISKAGAGKQAPELP DYAPDYQHKFSFDIMPTARPKRKGKCARRTPIRAPSGVQQAS

靶点信息

研究背景	Cell surface receptor. Plays a functionally redundant role in postnatal brain development and in regulating axon regeneration in the adult central nervous system. Contributes to normal axon migration across the brain midline and normal formation of the corpus callosum. Protects motoneurons against apoptosis; protection against apoptosis is probably mediated by MAG. Plays a role in inhibiting neurite outgrowth and axon regeneration via its binding to neuronal chondroitin sulfate proteoglycans. Binds heparin (By similarity). Like other family members, plays a role in restricting the number dendritic spines and the number of synapses that are formed during brain development. Signaling mediates activation of Rho and downstream reorganization of the actin cytoskeleton.
基因ID	146760
基因名	RTN4RL1
Swiss	Q86UN2
别名	RTN4RL1;NGRH2;NgR3

产品验证



Western blot analysis of RTN4RL1 expressed in Mouse brain,Rat brain using RTN4RL1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn