

Phospho-PTPRA-Y789 Rabbit pAb

货号**: B20399**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	89kDa/90kDa
实测分子量	145kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	C2C12,PC-12
细胞定位	Membrane,Single-pass type I membrane protein
纯化	Affinity purification

抗原信息

抗原信息	A synthetic phosphorylated peptide around Y789 of human PTPRA (NP_543030.1).
序列	SDYAN

靶点信息

研究背景	The protein encoded by this gene is a member of the protein tyrosine phosphatase (PTP) family. PTPs are known to be signaling molecules that regulate a variety of cellular processes including cell growth, differentiation, mitotic cycle, and oncogenic transformation. This PTP contains an extracellular domain, a single transmembrane segment and two tandem intracytoplasmic catalytic domains, and thus represents a receptor-type PTP. This PTP has been shown to dephosphorylate and activate Src family tyrosine kinase s, and is implicated in the regulation of integrin signaling, cell adhesion and proliferation. Three alternative ely spliced variants of this gene, which encode two distinct isoforms, have been reported.
基因ID	5786

基因名	PTPRA
Swiss	P18433
别名	PTPRA;HEPTP;HLPR;HPTPA;HPTPalpha;LRP;PTPA;PTPRL2;R-PTP-alpha;RPTPA

产品验证



Western blot analysis of Phospho-PTPRA-Y789 expressed in C2C12,PC-12 using Phospho-PTPRA-Y789 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/prote ins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Expos ure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn