

RING1B/RNF2 Rabbit pAb

货号: **B21254**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC IF/ICC IP ChIP
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:200 IP: 1:50 - 1:200 ChIP: 1:50 - 1:200
理论分子量	29kDa/37kDa
实测分子量	38kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa
细胞定位	Chromosome,Nucleus
纯化	Affinity purification

抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-336 of human RING1B /RING1B/RNF2 (NP_009143.1).
序列	MSQAVQTNGTQPLSKTWELSLYELQRTQPQEAITDGLEIVVSPRSLHSELMCPICLDMLKNTMTTKECLHRFCADCIITALRS GNKECPTCRKKLVSKRSLRPDPNFDALISKIYPSRDEYEAHQERVLARINKHNNQQALSHSIEEGLKIQAMNRLQRGKKQQI ENGSGAEDNGDSSHCSNASTHSNQEAGPSNKRTKTSDDSGLELDNNAAMAIDPVMGDGASEIELVFRPHPTLMEKDDSD AQTRYIKTSGNATVDHLSKYLAVRLALEELRSKGESNQMNLDTASEKQYTIYIATASGQFTVLNGSFSLELVSEKYWKVNKP MELYYAPTKEHK

靶点信息

研究背景	Polycomb group (PcG) of proteins form the multiprotein complexes that are important for the transcription repression of various genes involved in development and cell proliferation. The protein encoded by this gene is one of the PcG proteins. It has been shown to interact with, and suppress the activity of, transcription factor CP2 (TFCP2/CP2). Studies of the mouse counterpart suggested the involvement of this gene in the specification of anterior-posterior axis, as well as in cell proliferation in early development. This protein was also found to interact with huntingtin interacting protein 2 (HIP2), an ubiquitin-conjugating enzyme, and possess ubiquitin ligase activity.
基因ID	6045
基因名	RNF2
Swiss	Q99496
别名	RNF2;BAP-1;BAP1;DING;HIP13;RING1B;RING2

产品验证

实验步骤

访问官网浏览详情: www.ablybio.cn