

# TRMT2A/HTF9C Rabbit pAb

货号: B21583

#### 产品信息

| 反应    | Human,Mouse,Rat   |
|-------|---|
| 宿主    | Rabbit  |
| 克隆性   | Polyclonal  |
| 预测反应  |   |
| 应用    | WB IHC  |
| 推荐浓度  | WB: 1:500 - 1:1000<br>IHC: 1:50 - 1:200   |
| 理论分子量 | 61kDa/68kDa   |
| 实测分子量 | 80KDa   |
| 形式    | Liquid  |
| 保存条件  | Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3. |
| 偶联物   | Unconjugated  |
| 阳性对照  | HeLa  |
| 细胞定位  | cytosol   |
| 纯化    | Affinity purification   |

## 抗原信息


| 抗原信息 | A synthetic peptide corresponding to a sequence within amino acids 500 to the C-terminus of human TRM T2A/HTF9C (NP_073564.3).  |
|------|---|
| 序列   | LASQHLVAILDPPRAGLHSKVILAIRRAKNLRRLLYVSCNPRAAMGNFVDLCRAPSNRVKGIPFRPVKAVAVDLFPQTPHCE MLILFERVEHPNGTGVLGPHSPPAQPTPGPPDNTLQETGTFPSS |

## 靶点信息

| 研究背景         | The protein encoded by this gene is of unknown function. However, it is orthologous to the mouse Trmt2a gene and contains an RNA methyltransferase domain. Expression of this gene varies during the cell cycle, with aberrant expression being a possible biomarker in certain breast cancers. Several transcript variants encoding two different isoforms have been found for this gene. |
|--------------|--|
| 基因 <b>ID</b> | 27037  |

| 基因名   | TRMT2A       |
|-------|--------------|
| Swiss | Q8IZ69       |
| 别名    | TRMT2A;HTF9C |

#### 产品验证



Western blot analysis of TRMT2A/HTF9C expressed in HeLa using TRMT2A/HTF9C Rabbit pAb at 1:1000. S econdary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: www.ablybio.cn