

# CD98 Rabbit pAb

货号: B24646

# 产品信息

反应	Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:1000
理论分子量	58kDa
实测分子量	75-120KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse testis, Mouse kidney, Mouse brain, Rat testis, Rat kidney
细胞定位	
纯化	Affinity purification

# 抗原信息


抗原信息	Recombinant protein of mouse CD98.
序列	

# 靶点信息

研究背景	Predicted to enable amino acid transmembrane transporter activity and double-stranded RNA binding act ivity. Predicted to be involved in carboxylic acid transport and viral entry into host cell. Predicted to act u pstream of or within response to exogenous dsRNA. Located in apical pole of neuron. Is active in synapse. Is expressed in several structures, including alimentary system; brain; genitourinary system; hemolymph oid system gland; and spinal cord. Orthologous to human SLC3A2 (solute carrier family 3 member 2).
基因 <b>ID</b>	17254

基因名	
Swiss	P10852
别名	4F2; Cd98; Ly10; Mdu1; 4F2HC; Ly-10; NACAE; Ly-m10; Mgp-2hc

# 产品验证



Western blot analysis of CD98 expressed in Mouse testis,Rat testis,Mouse kidney using CD98 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per la ne. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

# 实验步骤

访问官网浏览详情: www.ablybio.cn