

ASC/TMS1 Rabbit pAb

货号: B25076

产品信息

| | |
|-------|-------------------------------------------------------------------------------------------------------------------|
| 反应 | Human,Mouse,Rat |
| 宿主 | Rabbit |
| 克隆性 | Polyclonal |
| 预测反应 | WB: Rattus norvegicus , Mus musculus , Rana amurensis Boulenger |
| 应用 | WB IHC IF/ICC IP |
| 推荐浓度 | WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:200 IP: 1:500 - 1:1000 |
| 理论分子量 | 15kDa/19kDa/21kDa |
| 实测分子量 | 22KDa |
| 形式 | Liquid |
| 保存条件 | Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3. |
| 偶联物 | Unconjugated |
| 阳性对照 | HL-60,Mouse thymus,Rat spleen,Rat thymus |
| 细胞定位 | Cytoplasm,Endoplasmic reticulum,Mitochondrion,Nucleus |
| 纯化 | Affinity purification |

抗原信息


| | |
|------|----------------------------------------------------------------------------------------------------------------------|
| 抗原信息 | Recombinant fusion protein containing a sequence corresponding to amino acids 1-91 of human ASC/TMS 1 (NP_037390.2). |
| 序列 | MGRARDAILDALENLTAEELKKFKLKLSSVPLREGYGRIPRGALLSMDALDLTDKLVSFYLETYGAELTANVLRDMGLQEMA GQLQAATHQ |

靶点信息

| | |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 研究背景 | This gene encodes an adaptor protein that is composed of two protein-protein interaction domains: a N-terminal PYRIN-PAAD-DAPIN domain (PYD) and a C-terminal caspase-recruitment domain (CARD). The PYD and CARD domains are members of the six-helix bundle death domain-fold superfamily that mediates assembly of large signaling complexes in the inflammatory and apoptotic signaling pathways via the activation of caspase. In normal cells, this protein is localized to the cytoplasm; however, in cells undergoing apoptosis, it forms ball-like aggregates near the nuclear periphery. Two transcript variants encoding different isoforms have been found for this gene. |
| 基因ID | 29108 |
| 基因名 | PYCARD |
| Swiss | Q9ULZ3 |
| 别名 | PYCARD;ASC;CARD5;TMS;TMS-1;TMS1;PYD and CARD domain containing;ASC / TMS1 |

产品验证

Western blot analysis of ASC/TMS1 expressed in Mouse thymus,Rat spleen,HL-60 using ASC/TMS1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.



实验步骤

访问官网浏览详情: www.ablybio.cn