

Podoplanin Rabbit mAb

货号: B28815

产品信息

反应	Human,Mouse,Rat
	Truman, Modse, Nac
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	36kDa
实测分子量	36kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U2OS,U-87MG,Mouse lung
细胞定位	Cell projection, Membrane, Single-pass type I membrane protein, filopodium membrane, lamellipodium me mbrane, microvillus membrane, ruffle membrane
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human Podoplanin.
序列	GLTTLVATSVNSVTGIRIEDLPTSESTVHAQEQSPSATASNVATSHSTEKVDGDTQTTVEKDGLSTVTLVGIIVGVLLAIGFI GAIIVVVMRKMSGRYSP

靶点信息

研究背景	This gene encodes a type-I integral membrane glycoprotein with diverse distribution in human tissues. The physiological function of this protein may be related to its mucin-type character. The homologous protein in other species has been described as a differentiation antigen and influenza-virus receptor. The specific function of this protein has not been determined but it has been proposed as a marker of lung injury. Al ternatively spliced transcript variants encoding different isoforms have been identified. [provided by RefS eq, Jul 2008]
------	--

基因 ID	10630
基因名	PDPN
Swiss	Q86YL7
别名	AGGRUS; GP36; GP40; Gp38; HT1A-1; OTS8; PA2.26; T1A; T1A-2; T1A2; T11A

产品验证



Western blot analysis of Podoplanin expressed in U2OS,U-87MG,Mouse lung using Podoplanin Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30u g per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn