

# ApoA4 Rabbit mAb

货号: B28850

## 产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IP
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>IP:</b> 1:20 - 1:50
理论分子量	45kDa
实测分子量	45kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HepG2,Mouse small intestine,Rat liver
细胞定位	Secreted
纯化	Affinity purification

## 抗原信息

抗原信息	Recombinant fusion protein corresponding to Human ApoA4.
序列	EELKARISASAEELRQRLAPLAEDVRGNLRGNTEGLQKSLAELGGHLDQQVEFRRRVEPYGENFNKALVQQMEQLRQKL GPHAGDVEGHLSFLEKDLRDK


## 靶点信息

研究背景	Apolipoprotein (apo) A-IV gene contains 3 exons separated by two introns. A sequence polymorphism has been identified in the 3'UTR of the third exon. The primary translation product is a 396-residue preprotein which after proteolytic processing is secreted its primary site of synthesis, the intestine, in association with chylomicron particles. Although its precise function is not known, apo A-IV is a potent activator of lecithin-cholesterol acyltransferase in vitro.
基因ID	337

基因名	
Swiss	P06727
别名	APOA4

## 产品验证

Western blot analysis of ApoA4 expressed in HepG2,Mouse small intestine,Rat liver using ApoA4 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.



## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)