

# **PHOX2B Rabbit mAb**

货号: B29205

# 产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:200
理论分子量	31kDa
实测分子量	35kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	PC-12,U-251MG
细胞定位	Nucleus
纯化	Affinity purification


# 抗原信息

抗原信息	Recombinant fusion protein corresponding to Human PHOX2B.
序列	MYKMEYSYLNSSAYESCMAGMDTSSLASAYADFSSCSQASGFQYNPIRTTFGATSGCPSLTPGSCSLGTLRDHQSSPYAA VPYKLFTDHG

靶点信息

研究背景	The DNA-associated protein encoded by this gene is a member of the paired family of homeobox proteins localized to the nucleus. The protein functions as a transcription factor involved in the development of se veral major noradrenergic neuron populations and the determination of neurotransmitter phenotype. The gene product is linked to enhancement of second messenger-mediated activation of the dopamine beta-h ydroylase, c-fos promoters and several enhancers, including cyclic amp-response element and serum-res ponse element. Expansion of a 20 amino acid polyalanine tract in this protein by 5-13 aa has been associ ated with congenital central hypoventilation syndrome.
基因ID	8929
基因名	PHOX2B
Swiss	Q99453
别名	PHOX2B;NBLST2;NBPhox;PMX2B

### 产品验证



Western blot analysis of PHOX2B expressed in PC-12,U-251MG using PHOX2B Rabbit mAb at 1:1000. Sec ondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking bu ffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

### 实验步骤

访问官网浏览详情: www.ablybio.cn