

HTF9C Rabbit mAb

货号: B29454

产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:200
理论分子量	61kDa/68kDa
实测分子量	69kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	293T,HeLa,K-562
细胞定位	cytosol
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human HTF9C.
序列	LASQHLVAILDPPRAGLHSKVILAIRRAKNLRRLLYVSCNPRAAMGNFV DLCRAPSNRVKGIPFRPVKAVAVDLFPQTPHCE MLILFERVEHPNGTGVLGPHSPPAQPTGPPDNTLQETGTFPSS

靶点信息

研究背景	The protein encoded by this gene is of unknown function. However, it is orthologous to the mouse Trmt2a gene and contains an RNA methyltransferase domain. Expression of this gene varies during the cell cycle, with aberrant expression being a possible biomarker in certain breast cancers. Several transcript variants encoding two different isoforms have been found for this gene.
基因ID	27037

基因名	TRMT2A
Swiss	Q8IZ69
别名	TRMT2A;HTF9C

产品验证



Western blot analysis of HTF9C expressed in 293T,HeLa,K-562 using HTF9C Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn