

Grp75 Rabbit mAb

货号: B29972

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	74kDa
实测分子量	74kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,HepG2,MCF7,Mouse liver,Mouse brain,Mouse kidney,Rat liver,Rat brain,Rat kidney
细胞定位	Mitochondrion, Nucleus, nucleolus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human Grp75.
序列	EAVNMAEGIIHDTETKMEEFKDQLPADECNKLKEEISKMRELLARKDSETGENIRQAASSLQQASLKLFEMAYKKMASERE GSGSSGTGEQKEDQKEEKQ

靶点信息

研究背景	This gene encodes a member of the heat shock protein 70 gene family. The encoded protein is primarily I ocalized to the mitochondria but is also found in the endoplasmic reticulum, plasma membrane and cytop lasmic vesicles. This protein is a heat-shock cognate protein. This protein plays a role in cell proliferation, stress response and maintenance of the mitochondria. A pseudogene of this gene is found on chromosom e 2.[provided by RefSeq, May 2010]
基因ID	3313

基因名	HSPA9
Swiss	P38646
别名	CRP40; CSA; EVPLS; GRP-75; GRP75; HEL-S-124m; HSPA9B; MOT; MOT2; MTHSP75; PBP74; SAAN; SIDBA4

产品验证



Western blot analysis of Grp75 expressed in Mouse liver,Rat liver,HeLa using Grp75 Rabbit mAb at 1:10 00. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Bl ocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn