

Ras Rabbit mAb

货号: B30102

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IP FC
推荐浓度	WB: 1:500 - 1:2000 IP: 1:20 - 1:50 FC: 1:20 - 1:50
理论分子量	21kDa
实测分子量	18kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HT-29,293T,MCF7,NIH/3T3,C6,Mouse lung,Mouse brain,Rat brain
细胞定位	cytosol,extracellular exosome,Golgi apparatus,plasma membrane
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human Ras .
序列	MTEYKLVVVGAGGVGKSALTIQLIQNHFVDEYDPTIEDSYRKQVVIDGETCLLDILDITAGQEEYSAMRDQYMRTGEGFLCV FAINNSKSFADINLYREQIKRVKDSDDVPMVLVGNKCDLPTRTVDTKQAHELAKSYGIPFIETSAKTRQGVEDAFYTLVREIR QYRMKKLNSSDDGTQGCMGLPCVV

靶点信息

研究背景	This gene, a Kirsten ras oncogene homolog from the mammalian ras gene family, encodes a protein that i s a member of the small GTPase superfamily. A single amino acid substitution is responsible for an activa ting mutation. The transforming protein that results is implicated in various malignancies, including lung adenocarcinoma, mucinous adenoma, ductal carcinoma of the pancreas and colorectal carcinoma. Altern ative splicing leads to variants encoding two isoforms that differ in the C-terminal region. [provided by Re fSeq, Jul 2008]
------	--

基因ID	4893,3265,3845
基因名	NRAS,HRAS,KRAS
Swiss	P01111/P01112/P01116
别名	C-K-RAS; CFC2; K-RAS2A; K-RAS2B; K-RAS4A; K-RAS4B; KI-RAS; KRAS1; KRAS2; NS; NS3; RALD; RASK2; c-Ki-ras2

产品验证



Western blot analysis of Ras expressed in Mouse lung,Rat brain,HT-29 using Ras Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn