

TEMT Rabbit mAb

货号: B30309

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	28kDa
实测分子量	25kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse lung,Mouse liver,Mouse kidney
细胞定位	Cytoplasm
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human TEMT.
序列	MKGGFTGGDEYQKHFLPRDYLATYYSDGSPSPEAEMLKFNLLECLHKTGPGGLQGDTLIDIGSGPTIYQVLAACDSFQDI TLSDFDRNREELEKWLKEPGAYDWTPAVKFACELEGNSGRWEEKEEKLRAAVKRLKCDVHLGNPLA

靶点信息

研究背景	N-methylation of endogenous and xenobiotic compounds is a major method by which they are degraded. This gene encodes an enzyme that N-methylates indoles such as tryptamine. Alternative splicing results in multiple transcript variants. Read-through transcription also exists between this gene and the downstream FAM188B (family with sequence similarity 188, member B) gene.
基因ID	11185

基因名	INMT
Swiss	O95050
别名	INMT;TEMT

产品验证



Western blot analysis of TEMT expressed in Mouse lung, Mouse liver, Mouse kidney using TEMT Rabbit m Ab at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn