

EHD1 Rabbit mAb

货号: B30431

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC IF/ICC IP FC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:200 IP: 1:20 - 1:50 FC: 1:20 - 1:50
理论分子量	61kDa
实测分子量	61kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,THP-1,U-251MG,Mouse liver,Mouse brain,Mouse spleen,Rat lung,Rat testis,Rat kidney
细胞定位	Cell membrane,Cell projection,Cytoplasmic side,Early endosome membrane,Peripheral membrane protein,Recycling endosome membrane,cilium membrane
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein corresponding to Human EHD1.
序列	MFSWVSKDARRKKEPELFQTVAEGLRQLYAQKLLPLEEHYRFHEFHSPALEDADFDNKPMVLLVGQYSTGKTTFIRHLIEQDFPGMRIGPEPTTDSFIAV

靶点信息

研究背景	This gene belongs to a highly conserved gene family encoding EPS15 homology (EH) domain-containing proteins. The protein-binding EH domain was first noted in EPS15, a substrate for the epidermal growth factor receptor. The EH domain has been shown to be an important motif in proteins involved in protein-protein interactions and in intracellular sorting. The protein encoded by this gene is thought to play a role in the endocytosis of IGF1 receptors. Alternatively spliced transcript variants have been found for this gene. [provided by RefSeq, Sep 2013]
基因ID	10938
基因名	EHD1
Swiss	Q9H4M9
别名	H-PAST; HPAST1; PAST; PAST1

产品验证



Western blot analysis of EHD1 expressed in Mouse liver, Rat lung, HeLa using EHD1 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn