

C1QBP Rabbit mAb

货号: B30474

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200
理论分子量	31kDa
实测分子量	31kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,HCT116,SW620,293T,C2C12,Mouse ovary,Mouse pancreas,Rat brain,Rat heart
细胞定位	Cell membrane,Cytoplasm,Extracellular side,Mitochondrion matrix,Nucleus,Peripheral membrane protein, Secreted,nucleolus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human C1QBP.
序列	KTLPKMSGGWELELNGTEAKLVRKVAGEKITVTFNINNSIPPTFDGEEEPSQGQKVEEQEPELTSTPNFVVEVIKNDDGKKA LVLDCHYPEDEVGQEDEAE

靶点信息

研究背景 The human complement subcomponent C1q associates with C1r and C1s in nent of the serum complement system. The protein encoded by this gene is heads of C1q molecules and inhibit C1 activation. This protein has also bee of pre-mRNA splicing factor SF2, as well as a hyaluronic acid-binding prote 08]	known to bind to the globular identified as the p32 subunit
---	---

基因ID	708
基因名	C1QBP
Swiss	Q07021
别名	GC1QBP; HABP1; SF2p32; gC1Q-R; gC1qR; p32

产品验证



Western blot analysis of C1QBP expressed in Mouse ovary,Rat brain,HeLa using C1QBP Rabbit mAb at 1 :1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane . Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn