

# Kallikrein 8 Rabbit mAb

货号: B30564

## 产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200
理论分子量	35kDa
实测分子量	35kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	BxPC-3,A-431,SH-SY5Y,Mouse uterus
细胞定位	Cytoplasm,Secreted
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein corresponding to Human Kallikrein 8.
序列	TSPRENFPDTLNCAEVKIFPQKKCEDAYPGQITDGMVCAGSSKGADTCQGDSGGPLVCDGALQGITSWGSDPCGRSDK PGVYTNICRYLDWIKKIIGSKG

#### 靶点信息

研究背景	Kallikreins are a subgroup of serine proteases having diverse physiological functions. Growing evidence s uggests that many kallikreins are implicated in carcinogenesis and some have potential as novel cancer a nd other disease biomarkers. This gene is one of the fifteen kallikrein subfamily members located in tand em in a gene cluster on chromosome 19. The encoded protein may be involved in proteolytic cascade in the skin and may serve as a biomarker for ovarian cancer. Alternate splicing of this gene results in multiple transcript variants encoding different isoforms.
------	--

基因ID	11202
基因名	KLK8
Swiss	O60259
别名	KLK8; HNP; NP; NRPN; PRSS19; TADG14; kallikrein-8

## 产品验证



Western blot analysis of Kallikrein 8 expressed in BxPC-3,A-431,SH-SY5Y using Kallikrein 8 Rabbit mA b at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 1 20s.

### 实验步骤

访问官网浏览详情: www.ablybio.cn