

# **RIP Rabbit mAb**

### 货号: B30848

#### 产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB FC
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>FC:</b> 1:20 - 1:50
理论分子量	70kDa/75kDa
实测分子量	75kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Raji,Jurkat,Mouse liver,C6
细胞定位	Cell membrane,Cytoplasm
纯化	Affinity purification


#### 抗原信息

抗原信息	Recombinant fusion protein corresponding to Human RIP.
序列	GMGPVEESWFAPSLEHPQEENEPSLQSKLQDEANYHLYGSRMDRQTKQQPRQNVAYNREEERRRRVSHDPFAQQRPYE NFQNTEGKGTAYSSAASHGNAVH

靶点信息

3'-5' DNA helicase and substrate-recognition component of the SCF(FBH1 E3 ubiquitin ligase complex tha t plays a key role in response to stalled/damaged replication forks. Involved in genome maintenance by a cting as an anti-recombinogenic helicase and preventing extensive strand exchange during homologous r ecombination: promotes RAD51 filament dissolution from stalled forks, thereby inhibiting homologous rec ombination and preventing excessive recombination. Also promotes cell death and DNA double-strand br eakage in response to replication stress: together with MUS81, promotes the endonucleolytic DNA cleava ge following prolonged replication stress via its helicase activity, possibly to eliminate cells with excessive replication stress. Plays a major role in remodeling of stalled DNA forks by catalyzing fork regression, in which the fork reverses and the two nascent DNA strands anneal. In addition to the helicase activity, also acts as the substrate-recognition component of the SCF(FBH1 E3 ubiquitin ligase complex, a complex that mediates ubiquitination of RAD51, leading to regulate RAD51 subcellular location.
8737
RIPK1
Q13546
RIP;RIP-1;RIP1;RIPK1

#### 产品验证



Western blot analysis of RIP expressed in Raji,Jurkat,Mouse liver using RIP Rabbit mAb at 1:1000. Second ary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffe r: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: www.ablybio.cn