

# **DNPH1** Rabbit mAb

## 货号**: B31101**

## 产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>IHC:</b> 1:50 - 1:200
理论分子量	
实测分子量	21kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	293T,LO2,HeLa,Mouse heart,Mouse kidney,Rat kidney,Rat liver
细胞定位	cytosol,extracellular exosome,nucleus
纯化	Affinity purification

## 抗原信息

抗原信息	Recombinant fusion protein corresponding to Human DNPH1.
序列	MAAAMVPGRSESWERGEPGRPALYFCGSIRGGREDRTLYERIVSRLRRFGTVLTEHVAAAELGARGEEAAGGDRLIHEQD LEWLQQADVVVAEVTQPSLGVGYELGRAVAFNKRILCLFRPQSGRVLSAMIRGAADGSRFQVWDYEEGEVEALLDRYFEA DPPGQVAASPDPTT

### 靶点信息

研究背景	This gene was identified on the basis of its stimulation by c-Myc protein. The latter is a transcription facto r that participates in the regulation of cell proliferation, differentiation, and apoptosis. The exact function of this gene is not known but studies in rat suggest a role in cellular proliferation and c-Myc-mediated tran sformation. Two alternative transcripts encoding different proteins have been described. [provided by Ref Seq, Jul 2008]	

基因ID	10591
基因名	DNPH1
Swiss	043598
别名	C6orf108;RCL;dJ330M21.3;DNPH1

### 产品验证



Western blot analysis of DNPH1 expressed in 293T,LO2,HeLa using DNPH1 Rabbit mAb at 1:1000. Sec ondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

#### 实验步骤

访问官网浏览详情: www.ablybio.cn