

PSD93 Rabbit mAb

货号: B31327

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IP FC
推荐浓度	WB: 1:500 - 1:2000 IP: 1:20 - 1:50 FC: 1:20 - 1:50
理论分子量	110kDa
实测分子量	110kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,C6,SH-SY5Y,U-251MG,Mouse lung,Mouse spinal cord,Mouse brain,Rat brain
细胞定位	axon cytoplasm,basolateral plasma membrane,cytosol,neuromuscular junction,neuron projection,perikar yon,plasma membrane,postsynaptic density,postsynaptic density membrane
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human PSD93.
序列	RRVERKERARLKTVKFNAKPGVIDSKGSFNDKRKKSFIFSRKFPFYKNKEQSEQETSDPERGQEDLILSYEPVTRQEINYTR PVIILGPMKDRINDDLISE

靶点信息

	This gene encodes a member of the membrane-associated guanylate kinase (MAGUK) family. The encode d protein forms a heterodimer with a related family member that may interact at postsynaptic sites to for m a multimeric scaffold for the clustering of receptors, ion channels, and associated signaling proteins. M ultiple transcript variants encoding different isoforms have been found for this gene. Additional transcript variants have been described, but their full-length nature is not known. [provided by RefSeq, Dec 2008]
--	--

基因ID	1740
基因名	DLG2
Swiss	Q15700
别名	PPP1R58; PSD-93; PSD93; chapsyn-110

产品验证



Western blot analysis of PSD93 expressed in Mouse lung,Rat brain,HeLa using PSD93 Rabbit mAb at 1: 1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn